

## Spacing insulator type DP/P, M12, red, 63,5 mm

TYP DB/P

**Product number** 90052

**Weight** 3.379kg



Illustrations are for reference only. Technical specifications may vary and are subject to change without notice.

### Product description

- made of Polyglas-polyester material
- reinforced with fibreglass
- colour: red
- self extinguishing
- operating temperature:  $-40\text{ °C} < T < +130\text{ °C}$
- fire resistance: UL94-V0
- UM = max. permissible operating voltage

## Product properties

<b>SW</b>	41 mm
<b>H</b>	63,5 mm
<b>Typ</b>	DB/P 65
<b>Threaded bolt material</b>	Galvanized steel
<b>Colour</b>	red
<b>Discharge voltage</b>	40 kV
<b>Insulation material properties</b>	self-extinguishing , Reinforced with glass fiber
<b>max. pulling force</b>	15 kN
<b>d1</b>	35 mm
<b>Thread (M)</b>	M12
<b>Insulation material</b>	Polyglass-polyester compound
<b>Flame retardancy</b>	UL 94 V-0
<b>Temperature resistant</b>	-40 °C – 130 °C
<b>Creep strength</b>	15 kV
<b>max. pressure-carrying capacity</b>	83 kN
<b>U<sub>M</sub></b>	3000 V
<b>Type of packaging</b>	22
<b>max. bending force</b>	7 kN
<b>max. indicate torque</b>	85,0 Nm
<b>A</b>	19 mm

## More images

